



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Thu, 15 Mar 2007, 11:38:01 AM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- |    |   |
|----|---|
| #1 | ((frequency dependent phase predistortion table)<in>metadata)   |
| #2 | ((frequency dependent phase predistortion table)<in>metadata)   |
| #3 | ((frequency <and> dependent <and> phase <and> predistortion <and> (table <or> memory))<in>metadata)   |
| #4 | ((((frequency <and> dependent <and> phase <and> predistortion <and> (table <or> memory))<in>metadata) ) <and> (pyr >= 1950 <and> pyr <= 2002) |

*Results*

0

0

1

0

Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>1</b>	<b>1</b>	<b>gb-2348755-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>2</b>	<b>11</b>	<b>((("6,166,603") or ("6,236,267") or ("6,281,747") or ("6,288,610") or ("6,366,177") or ("6,417,731") or ("6141790") or ("20020080891") or ("20020041210") or ("20020125947") or ("20020060606"))).PN.</b>	<b>US-PGPUB; USPAT</b>
<b>3</b>	<b>6</b>	<b>((("6512417") or ("4870371") or ("20010033238"))).PN.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>4</b>	<b>2</b>	<b>ep-1085668-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>5</b>	<b>13</b>	<b>((("20030076896") or ("5937011") or ("20030045264") or ("20030076894") or ("20030020538") or ("20030058960") or ("5872814") or ("6271724") or ("20020186783") or ("6429736") or ("20030016741") or ("6304140") or ("6081158"))).PN.</b>	<b>US-PGPUB; USPAT</b>
<b>6</b>	<b>2</b>	<b>((("6112062") or ("6587514"))).PN.</b>	<b>US-PGPUB; USPAT</b>
<b>7</b>	<b>2</b>	<b>gb-2384377-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>8</b>	<b>1</b>	<b>wo-3085822-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>9</b>	<b>2</b>	<b>((("6342810") or ("4870371")).PN.</b>	<b>US-PGPUB; USPAT</b>
<b>10</b>	<b>2</b>	<b>ep-1199797-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>11</b>	<b>2</b>	<b>ep-416622-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>12</b>	<b>2</b>	<b>ep-1463198-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>13</b>	<b>2</b>	<b>ep-1280273-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>14</b>	<b>47</b>	<b>S1 or S2 or S3 or S4 or S5 or S6 or S7 or S8 or S9 or S10 or S11 or S12 or S13</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>15</b>	<b>6</b>	<b>((advanc\$7 or delay\$7 or retard\$7) near2 \$7distortion\$7 near2 phas\$7) near2 (add\$5 or sum\$7 or combin\$7)) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>16</b>	<b>253</b>	<b>((advanc\$7 or delay\$7 or retard\$7) near2 \$7distortion\$7 near2 phas\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>17</b>	<b>78</b>	<b>((advanc\$7 or delay\$7 or retard\$7) near2 \$7distortion\$7 near2 phas\$7) with frequenc\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>18</b>	<b>0</b>	<b>((advanc\$7 or delay\$7 or retard\$7) near2 pre\$1distortion\$7 near2 phas\$7) with frequenc\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>19</b>	<b>3</b>	<b>((advanc\$7 or delay\$7 or retard\$7) near2 pre\$1distortion\$7 near2 phas\$7) same frequenc\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>20</b>	<b>17</b>	<b>("4890300"   "4902983"   "4992754"   "5049832"   "5161044"   "5363056"   "5378937"   "5381108"   "5418637"   "5424680"   "5477367"   "5523716"   "5589797"   "5600472"   "5798854"   "5939920"   "6018266").PN.</b>	<b>US-PGPUB; USPAT; USOCR</b>
<b>21</b>	<b>4</b>	<b>((("4992754") or ("5161044"))).PN.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>22</b>	<b>10</b>	<b>(US-20020167979-\$).did. or (US-6512417-\$ or US-6417731-\$ or US-4787094-\$ or US-6654591-\$ or US-6570444-\$ or US-6288814-\$ or US-5424680-\$ or US-4890300-\$).did. or (EP-1463198-\$).did.</b>	<b>US-PGPUB; USPAT; EPO</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>23</b>	<b>7</b>	<b>S22 and independent</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>24</b>	<b>78</b>	<b>pre\$1distortion\$7 near2 base\$1band and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>25</b>	<b>11</b>	<b>(US-20020167979-\$).did. or (US- 6512417-\$ or US-6417731-\$ or US-4787094-\$ or US-6654591-\$ or US-6570444-\$ or US-6288814-\$ or US-5424680-\$ or US-4890300-\$ or US-6903604-\$).did. or (EP- 1463198-\$).did.</b>	<b>US-PGPUB; USPAT; EPO</b>
<b>26</b>	<b>4</b>	<b>S26 and tabl\$7</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>27</b>	<b>1</b>	<b>wo-2003085822-\$).did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>28</b>	<b>4</b>	<b>(("6112062") or ("6587514") or ("4870371") or ("20010033238")).PN.</b>	<b>US-PGPUB; USPAT</b>
<b>29</b>	<b>13</b>	<b>(("20030076896") or ("5937011") or ("20030045264") or ("20030076894") or ("20030020538") or ("20030058960") or ("5872814") or ("6271724") or ("20020186783") or ("6429736") or ("20030016741") or ("6304140") or ("6081158")).PN.</b>	<b>US-PGPUB; USPAT</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>30</b>	<b>27</b>	(375/296, 375/295, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 near2 base\$1band) and @ad<"20020205"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>31</b>	<b>2</b>	"6075411".pn.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>32</b>	<b>2</b>	"6493543".pn.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>33</b>	<b>2</b>	"5867065".pn.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>34</b>	<b>2</b>	ep-751630-\$.did.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>35</b>	<b>2</b>	ep-881807-\$.did.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>36</b>	<b>2</b>	wo-9933170-\$.did.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>37</b>	<b>2</b>	"6507732".pn.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>38</b>	<b>2</b>	<b>"5923712".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>39</b>	<b>6</b>	<b>US-5963549-\$.DID. OR US- 5920808-\$.DID. OR US-6288610- \$.DID.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>40</b>	<b>20</b>	<b>S33 or S34 or S35 or S36 or S37 or S38 or S39 or S40</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>41</b>	<b>0</b>	<b>S41 and (phas\$7 near2 (diff\$7 or subtract\$7) with frequenc\$7)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>42</b>	<b>28784</b>	<b>(phas\$7 near2 (diff\$7 or subtract\$7) with frequenc\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>43</b>	<b>9</b>	<b>(phas\$7 near2 (diff\$7 or subtract\$7) with (critical\$7 near2 frequenc\$7)) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>44</b>	<b>22</b>	<b>(phas\$7 near2 (diff\$7 or subtract\$7) with ((critical\$7 or important\$7) near2 frequenc\$7)) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>45</b>	<b>137</b>	<b>(phas\$7 near2 (diff\$7 or subtract\$7) with ((critical\$7 or important\$7 or main or primar\$7) near2 frequenc\$7)) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>46</b>	<b>115</b>	<b>S46 not S45</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>47</b>	<b>0</b>	<b>S47 and (phase near2 pre\$1distort\$7)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>48</b>	<b>0</b>	<b>S46 and (phase near2 pre\$1distort\$7)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>49</b>	<b>0</b>	<b>S46 and (pre\$1distort\$7)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>50</b>	<b>1608</b>	<b>(phas\$7 near2 (diff\$7 or subtract\$7) with ((critical\$7 or important\$7 or main or primar\$7 or two) near2 frequenc\$7)) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>51</b>	<b>11</b>	<b>S51 and (pre\$1distort\$7)</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>52</b>	<b>0</b>	<b>(frequenc\$7 near2 indepen\$7) with (pre\$1distort\$7 with magnitud\$7 with phas\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>53</b>	<b>4</b>	<b>(frequenc\$7 near2 indepen\$7) with (pre\$1distort\$7 with (magnitud\$7 or ampli\$7) with phas\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>



	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>54</b>	<b>0</b>	(375/296, 375/295, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 same base\$1band same ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>55</b>	<b>3</b>	(375/296, 375/295, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>56</b>	<b>3</b>	(375/296, 375/295, 375/377, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>57</b>	<b>2</b>	("6075411").PN.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>58</b>	<b>2</b>	ep-1463198-\$.did.	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>59</b>	<b>10</b>	((("5,187,719") or ("6,489,846") or ("6,677,820") or ("6,687,511") or ("6,700,442") or ("6,798,843") or ("6,925,106") or ("6,373,902") or ("6,885,709") or ("6,975,687")).PN.	<b>USPAT</b>

	Hits	Search Text	DBs
60	4	(375/296, 375/295, 375/377, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	55	frequenc\$7 near2 depend\$7 near2 phas\$7 near2 (distor\$7 or pre\$1distor\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	0	frequenc\$7 near2 depend\$7 near2 phas\$7 near2 pre\$1distor\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	1	frequenc\$7 near2 (bas\$3 or depend\$7) near2 phas\$7 near2 pre\$1distor\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	19	frequenc\$7 near2 phas\$7 near2 pre\$1distor\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	0	pre\$1distor\$7 near2 based near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	194	pre\$1distor\$7 near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	71	pre\$1distor\$7 with (phas\$7 near2 differen\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
68	17	pre\$1distor\$7 with (phas\$7 near2 differen\$7) with frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	0	(pre\$1distor\$7 or distor\$7) near2 bas\$3 near2 (phas\$7 near2 differen\$7) near2 between near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	0	(pre\$1distor\$7 or distor\$7) near2 bas\$3 near2 (phas\$7 near2 differen\$7) near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	23	(pre\$1distor\$7 or distor\$7) near2 (phas\$7 near2 differen\$7) near2 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	40	(pre\$1distor\$7 or distor\$7) near3 (phas\$7 near2 differen\$7) near3 frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	17	S73 not S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	35	(pre\$1distor\$7 or distor\$7) same ((phas\$7 near2 differen\$7) near2 between near2 frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	500	(pre\$1distor\$7 or distor\$7) and ((phas\$7 near2 differen\$7) near2 between near2 frequenc\$7) and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	386	(phas\$7 adj differen\$7) adj between adj frequenc\$7 and @ad<"20020205"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>77</b>	<b>386</b>	<b>(phas\$7 adj differen\$7) adj between adj frequencies and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>78</b>	<b>75</b>	<b>(phas\$7 adj differen\$7) adj between adj frequencies and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>79</b>	<b>5</b>	<b>(distor\$7 or pre\$distor\$7) and (phas\$7 adj differen\$7) adj between adj frequencies and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>80</b>	<b>0</b>	<b>(distor\$7 or pre\$distor\$7) same (phas\$7 adj differen\$7) adj between adj frequencies and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>81</b>	<b>2</b>	<b>"5132639".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>82</b>	<b>2</b>	<b>"20020171485".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>83</b>	<b>2</b>	<b>"20030117215".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>84</b>	<b>2</b>	<b>"6275103".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>85</b>	<b>2</b>	<b>ep-1199797-\$.did.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>86</b>	<b>2</b>	<b>"6075411".pn.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>87</b>	<b>4</b>	<b>(375/296, 375/295, 375/377, 455/114.3, 455/114.2, 455/91).ccls. and (pre\$1distortion\$7 and base\$1band and ((intermediat\$7 near2 frequenc\$7) with (\$7limit\$7 or threshold\$7))) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>88</b>	<b>0</b>	<b>VELLA-COLEIRO-GEORGE.in.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>89</b>	<b>0</b>	<b>S96 and S100</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>90</b>	<b>9</b>	<b>Vella\$-GEORGE-\$in. and pre\$1distor\$7</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>91</b>	<b>19</b>	<b>((frequenc\$7 near2 depend\$7) or frequenc\$15) near2 phase near2 pre\$1distort\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>92</b>	<b>0</b>	<b>(frequenc\$15 near2 depend\$7 near2 phase near2 pre\$1distort\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>93</b>	<b>0</b>	<b>(frequenc\$15 near2 depend\$7 near2 phase near2 pre\$1distort\$7) same (table or memor\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>

	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>94</b>	<b>0</b>	<b>(frequenc\$7 near2 depend\$7 near2 phase near2 pre\$1distort\$7) same (table or memor\$7) and @ad&lt;"20020205"</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>95</b>	<b>42</b>	<b>Vella\$-GEORGE-\$in.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>96</b>	<b>0</b>	<b>COLEIRO-GEORGE-\$in.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>97</b>	<b>0</b>	<b>VELLA-GEORGE.in.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>98</b>	<b>0</b>	<b>VELLACOLEIRO-GEORGE.in.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>99</b>	<b>0</b>	<b>\$COLEIRO-GEORGE.in.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>
<b>100</b>	<b>11</b>	<b>VELLA-GEORGE-\$in.</b>	<b>US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB</b>